



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

hydrogen, or as deriving its peculiarities from an inflammable vapour. To this new gaseous compound much of the illuminating power of coal and oil gas is to be attributed.

An Account of Experiments to determine the Acceleration of the Pendulum in different Latitudes. By Captain Edward Sabine, of the Royal Regiment of Artillery, F.R.S. and F.L.S. Read March 8, 1821. [*Phil. Trans.* 1821, p. 163.]

The clocks and pendulums used in these experiments are the property of the Royal Society, and were prepared by their direction, under the superintendence of Captain Kater, whose description of them is quoted by the author at the commencement of this paper.

The experiments were made during two voyages of discovery in search of a North-west Passage, the first in 1818, and the second in 1819 and 1820; and Captain Sabine details in succession the proceedings at each station, where an opportunity was afforded of landing and setting up the clocks; and concludes by recapitulating the number of vibrations made by each pendulum in the different latitudes in which it was tried, and by stating the deductions regarding the figure of the earth which follow from the acceleration thus determined. In the first voyage, the number of vibrations was ascertained at two stations only; namely, at Gardie House on the Island of Brassa, and on Waygat, or Hare Island, on the West coast of Greenland; the latitude of the first being $60^{\circ} 9' 42''$ N., and of the second $70^{\circ} 26' 17''$ N. The number of vibrations in a mean solar day at London being 86497·4, at Brassa they were 86530·507, and at Hare Island 86562·6386; giving an acceleration of 33·107 vibrations between London and Brassa, and of 32·1316 between Brassa and Hare Island; or 65·2386 between London and Hare Island.

Captain Sabine next proceeds to detail the preliminary experiments relating to the pendulums, and the results of his various observations, made during the second voyage; from which it appears that at Melville Island in the Polar sea, in latitude $74^{\circ} 47' 12\cdot4''$ N., the mean diurnal acceleration amounted to 74·734 vibrations. From the observations detailed at length in this paper, respecting the length of the seconds' pendulum, at the several places of observation, it appears that its length at London being, as ascertained by Captain Kater, 39·13929 inches, at Brassa it is 39·16929 inches; at Hare Island 39·1984, and at Melville Island 39·207 inches. This paper concludes with a table, showing the diminution of gravity from the pole to the equator, and the resulting ellipticity of the earth, deduced from the preceding observations. The method followed in obtaining these deductions is the same which is described by Captain Kater in the Philosophical Transactions for 1819.